

Known Genes/Mutations and available Genetic Testing:

CEP290 IVS50+9T>G [1, 2]

PRA-rdAc (late onset PRA)

Abyssinian (Antagene, Genindexe, Genomia, Laboklin, Langford, Progenus, Texas A&M U, UC Davis)

American Curl (Antagene, Genindexe, Genomia, Laboklin, UC Davis)

American Wirehair (Antagene, Laboklin, UC Davis)

Balinese (Antagene, Genomia, Laboklin, Langford, UC Davis)

Bengal (Antagene, Genomia, Laboklin, UC Davis)

California Rex (Genindexe)

Chausie (Genindexe)

Colorpoint (UC Davis, Genomia, Laboklin)

Cornish Rex (Antagene, Genindexe, Genomia, Laboklin, Langford, UC Davis)

German Rex (Genindexe)

Havana Brown (Genindexe)

Javanese (Labokin, Langford, UC Davis)

Mandarin (Genindexe)

Minuet (Antagene)

Munchkin (Antagene, Genindexe, Genomia, Laboklin, UC Davis)

Ocicat (Antagene, Genindexe, Genomia, Laboklin, Langford, UC Davis)

Oriental shorthair (Antagene, Genindexe, Genomia, Laboklin, Langford, UC Davis)

Peterbald (Antagene, Genindexe, Genomia, Laboklin, UC Davis)

Savannah (Genindexe, Langford)

Siamese (Antagene, Genindexe, Genomia, Laboklin, Langford, Texas A&M U, UC Davis)

Singapura (Antagene, Genindexe, Genomia, Laboklin, Langford, UC Davis)

Somali (Antagene, Genindexe, Genomia, Laboklin, Langford, Progenus, Texas A&M U, UC Davis)

Snowshoe (Genindexe)

Thai (Antagene, Genindexe)

Tonkinese (Antagene, Genindexe, Genomia, Laboklin, Langford, UC Davis)

all breeds (Van Haeringen)

CRX n.546delC [3]

PRA-rdy (early onset PRA, rod-cone dysplasia)

Abyssinian (Laboklin, Texas A&M U, UC Davis)

Bengal (UC Davis)

Ocicat (Laboklin)

Somali (Laboklin, UC Davis)

all breeds (Van Haeringen)

Aipl1: c.577C>T, p.Arg193 [4-6]

PRA-PD (Persian derived PRA)

Angora (Laboklin)

Birman (Laboklin)

British shorthair/longhair (Laboklin)

Chartreux /Laboklin)

Chinchilla (Langford)

Colorpoint (Laboklin)

Exotic shorthair (Laboklin, Langford, UC Davis)

Himalayan (Langford, UC Davis)

Persian (Laboklin, Langford, Uc Davis)
Ragdoll (Laboklin)
Russian Blue (Laboklin)
Scottish Fold (Laboklin)
Selkirk Rex (Labokin)
all breeds with potential Persian ancestry (UC Davis)

unpub mutation [7]
PRA-b (Bengal PRA)
Bengal (UC Davis, Langford)

STORAGE DISEASES WITH EYE INVOLVEMENT

Type 1 Gangliosidosis (GM1)

GLB1 c.1448G>C [8,9]

Balinese (Laboklin)
Javanese (Laboklin)
Korat (Laboklin, Progenus, UC Davis)
Oriental shothair (Laboklin)
Peterbald (Laboklin)
Seychellois (Laboklin)
Siamese (Laboklin, Progenus)
Thai (Laboklin)
Tonkinese (Laboklin)
all breeds (Van Haeringen)

Type 2 Gangliosidosis (GM2, Sandhoff)

HEXB c.1244-8_1250del [10]

Burmese (Genomia, Laboklin, Langford, UC Davis)
all breeds with potential Burmese ancestry (UC Davis)
all breeds (Van Haeringen)

HEXB c.39delC [11]

Korat (UC Davis, Laboklin, Van Haeringen)
Siamese (Laboklin)
Oriental shorthair (Laboklin)

additional information: other mutations causing GM2 in cats are described and tests are available for DSH

Alfa Mannosidosis

MAN2B1 c.1748delCCAG [12]

Persian (PennGen, Laboklin, Van Haeringen)

Mucopolysaccharidosis I (Hurler-Scheie syndrome)

IDUA c.1107_1109 del [13]

DSH (PennGen, Van Haeringen)

Mucopolysaccharidosis VI (Maroteaux-Lamy Syndrome VI, MPSM, MPS6)

ARSB c.1427T>C [14]

Balinese (Laboklin)
Birman (UC Davis, Laboklin)

Javanese (Laboklin)
Oriental shorthair (Laboklin)
Peterbald (Laboklin)
Seychellois (Laboklin)
Siamese (Laboklin, Langford, PennGen, Texas A&M U, UC Davis, Van Haeringen)
Ragdoll (UC Davis)
Thai (Laboklin)
Tonkinese (Laboklin)
all breeds with potential Siamese ancestry (Langford, UC Davis)

ARSB c.1558G>A [15,16]

Balinese (Laboklin)
Birman (Laboklin)
Javanese (Laboklin)
Oriental shorthair (Laboklin)
Peterbald (Laboklin)
Seychellois (Laboklin)
Siamese (Laboklin, PennGen, UC Davis)
Thai (Laboklin)
Tonkinese (Laboklin)

Mucopolysaccharidosis VII (Sly Syndrome, Mucopolysaccharidosis, MPS7)

various mutations in GUSB gene causing MPS7 are described in cats and tests are available for DSH or “all breeds” depending by labs [17,18]

Mucopolipidosis II (I-cell disease)

GNPTA unpub mutation

DSH (PennGen)

LABS CONTACTS:

Antagene: Antagene www.antagene.com

Genindexe: Genindexe www.genindexe.com

Genomia: Genomia www.genomia.cz

Laboklin: Laboklin www.laboklin.de

Langford: Langford Veterinary Services www.langfordvets.co.uk/lab_pcrnews.htm

PennGen: University of Pennsylvania Veterinary Medicine Section of Medical Genetics
www.vet.upenn.edu

Progenus: Progenus www.progenus.be

Texas A&M U: Texas A&M University www.catdnatest.org

UC Davis: University of California Davis – Veterinary Genetics Laboratory
www.vgl.ucdavis.edu

Van Haeringen: Van Haeringen www.vhlgenetics.com

REFERENCES:

1. Menotti-Raymond M et al. Mutation in CEP290 discovered for cat model of human retinal degeneration. *J Hered* (2007); 98 (3): 211-20.

2. Menotti-Raymond M et al. Widespread retinal degenerative disease mutation (rdAc) discovered among a large number of popular cat breeds. *Vet J* (2010); 86(1): 32-8.
3. Menotti-Raymond M et al. Mutation discovered in a feline model of human congenital retinal blinding disease. *Invest Ophthalmol Vis Sci* (2010); 51(6): 2852-9.
4. Rah H et al. Early-Onset, Autosomal Recessive, Progressive Retinal Atrophy in Persian Cats. *Invest Ophthalmol Vis Sci* (2005); 46:1742-1747.
5. Alhaddad H et al. Genome-wide association and linkage analyses localize a progressive retinal atrophy locus in persian cats. *Mamm Genome* (2014) 25:354-362.
6. Lyons LA, Creighton EK, Alhaddad H, Beale HC, Grahn RA, Rah H, Maggs DJ, Helps CR, Gandolfi B. Whole genome sequencing in cats, identifies new models for blindness in *AIPL1* and somite segmentation in *HES7*. *BMC Genomics*. 2016; 17: 265.
7. Ofri R et al. Characterization of an early-onset, autosomal recessive, progressive retinal degeneration in Bengal cats. *Investigative Ophthalmology Vis Scie* (2015); 56 (9): 5299-308.
8. Martin DR et al. Molecular consequences of the pathogenic mutation in feline GM1 gangliosidosis. *Mol Genet Metab* (2008); 94 (2): 212-21.
9. Huddin MM et al. Identification of Bangladeshi Domestic Cats with GM1 Gangliosidosis Caused by the c.1448G>C Mutation of the Feline *GLB1* Gene: Case Study. *J Vet Med Sci* (2013);75 (3): 395-397.
10. Bradbury AM. Neurodegenerative lysosomal storage disease in European Burmese cats with hexosaminidase β -subunit deficiency. *Mol Genet Metab* (2009);97(1):53-9.
11. Muldoon LL et al. Characterization of the molecular defect in a feline model for type II GM2-gangliosidosis (Sandhoff Disease). *Am J Path* (1994);144:1109-1118.
12. Berg T et al. Purification of feline lysosomal alpha-mannosidase, determination of its cDNA sequence and identification of a mutation causing alpha-mannosidosis in Persian cats. *Biochem J* (1997) 15; 328 (Pt 3): 863-70.
13. X He et al. Identification and characterization of the molecular lesion causing mucopolysaccharidosis type I in cats. *Mol Genet Metab* (1999); 67 (2):106-12.
14. Yogalingam G et al. Feline Mucopolysaccharidosis Type VI Characterization of recombinant N-acetylgalactosamine 4-sulfatase and identification of a mutation causing the disease. *J Biol Chem* (1996)1; 271(44): 27259-65.
15. Crawley AC et al. Two Mutations within a feline Mucopolysaccharidosis Type VI colony cause three different clinical phenotypes. *J Clin Invest* (1998)1;101(1): 109-19.
16. Lyons LA et al. Mucopolysaccharidosis VI in cats - clarification regarding genetic testing. *BMC Vet Res*;12(1): 136, 2016. doi: 10.1186/s12917-016-0764-y.
17. Fyfe JC et al. Molecular basis of feline β -Glucuronidase deficiency: an animal model of Mucopolysaccharidosis VII. *Genomics* (1999) 1; 58 (2): 121-8.

18. Wang, P et al. Mucopolysaccharidosis VII in a Cat Caused by 2 Adjacent Missense Mutations in the GUSB Gene. *J Vet Intern Med* (2015) 29:1022-8